1	1(currently amended). A shower head arrangement, comprising:
2	a flat profile with a rear side formed for support on a wall surface,
3	at least one concealed fitting located in a section on the rear side
4	of the profile and a concealed box enclosing the at least one
5	concealed fitting, a rear wall of the profile having a cutout
6	providing space for parts of the concealed fitting, the concealed
7	fitting being covered by the profile and arranged to be activated from a
8	front side of the profile,
9	wherein the at least one concealed fitting partly extends into
10	the profile, and
11	at least one water delivery for a shower head (8).
1	2(previously presented). The shower head arrangement
2	according to claim 1, wherein the fitting is fixed on the profile.
	3(cancelled).
1	4(previously presented). The shower head arrangement
2	according to claim 3, wherein the concealed box is fixed on the profile.
1	5(currently amended). The shower head arrangement
2	according to claim 3, wherein a side extension of at least one of the
3	concealed box (7) and the at least one concealed fitting is smaller than
4	a width of the profile.
	6(cancelled).
1	7(currently amended). The shower head arrangement
2	according to claim 1, further comprising a shower handset and a
3	holding bracket for a the shower handset, and wherein the shower
4	handset is connected by a hose.

1	8(currently amended). The shower head arrangement
2	according to claim 7, wherein water delivery to the shower handset
3	passes through an interior of the profile through at least one of a
4	channel formed inside the profile and <u>a</u> the hose.
1	9(currently amended). The shower head arrangement
2	according to claim 1, further comprising at least a side shower head
3	coupled to the water delivery.
	10(augmently, and and all). The above head agreement
1	10(currently amended). The shower head arrangement
2	according to claim 1, wherein the at least one concealed fitting
3	comprises plural fittings that which are concealed.
	11(currently amended). The shower head arrangement
1	· · · · · · · · · · · · · · · · · · ·
2	according to claim 1, comprising clamped-joint connections for
3	hydraulic connection between-piping-associated-with-the-profile-and-the
4	at-least-one-fitting .
1	12(currently amended). The shower head arrangement
2	according to claim 1, wherein at least one said fitting is connected with
3	the profile and connects at a clamped-joint connection with a house
4	installation.
-	motaliation.
1	13(previously presented). The shower head arrangement
2	according to claim 2, further comprising a concealed box enclosing the
3	at least one fitting.
1	14(previously presented). The shower head arrangement
2	according to claim 13, wherein the concealed box is fixed on the profile

Amended Claims 10/598,364

1 15(currently amended). The shower head arrangement
2 according to claim 1, wherein the at least one concealed fitting
3 comprises plural fittings which separately operate side shower heads
4 coupled to the water delivery.